

A dark, industrial scene featuring a robotic arm in the center, surrounded by warehouse equipment and shelving. The lighting is dim, with some overhead lights visible.

# PALTZ.

TRUE **PLUG & PLAY**  
PALLETIZER  
DEPALLETIZER

---

BY beRobox



We are dedicated to delivering easy-to-use palletizing solutions that seamlessly integrate into your environment.



# What Makes Us Unique



## **SIMPLICITY**

Most easy-to-use palletizing solution on the market.



## **ALL-IN-ONE**

Highly integrated product offer



## **VERSATILITY**

Designed to fit in every industrial environment.



## **AGILE**

Dedicated support team on hand

# Offering Highlights

- Easy-to-use STACKiT interface
- Highest speed and smoothest motions
- Mobile to secured in seconds
- Variable Multipick functionality
- 3-4 weeks lead time





# PALTZ.

## COLLABORATIVE SERIES



17C



17CS



17CSV



20CS



17CF



# PALTZ.17C

## STANDARD MODEL

- 40 lbs capacity
- Up to 6.5 cycles/minute
- 2 palletizing zones
- 60" palletizing height
- Pallet size up to 48" x 40"
- Pallet locators with sensors
- Product presence sensor
- Infeed skewed conveyor
- 13" touch screen HMI



# PALTZ.17CS

## FOR FASTER PERFORMANCES

- 40 lbs capacity
- Up to 9 cycles/minute
- 2 palletizing zones
- 60" palletizing height
- Pallet size up to 48" x 40"
- Pallet locators with sensors
- Product presence sensor
- Infeed skewed conveyor
- 13" touch screen HMI
- 4 area scanners
- External reset button



# PALTZ.17CSV

## FOR EXTRA REACH

- 40 lbs capacity
- Up to 7.5 cycles/minute
- 2 palletizing zones
- 104" palletizing height
- Pallet size up to 48" x 40"
- Pallet locators with sensors
- Product presence sensor
- Infeed skewed conveyor
- 13" touch screen HMI
- 4 area scanners
- External reset button
- Vertical telescopic axis






# PALTZ.17CF

## FOR MORE PEACE OF MIND

- 40 lbs capacity
- Up to 9 cycles/minute
- 2 palletizing zones
- 60" palletizing height
- Pallet size up to 48" x 40"
- Pallet locators with sensors
- Product presence sensor
- Infeed skewed conveyor
- 13" touch screen HMI
- External reset button
- Collapsible hard fencing





# PALTZ.20CS

## FOR GREATER PAYLOAD AND HEIGHT

- Doosan P3020
- 58.5 lbs capacity
- 2 palletizing zones
- Pallet size up to 48" x 48"
- Pallet and product presence sensors
- Skewed infeed conveyor
- Palletizing software
- 13" touch screen HMI
- External reset button
- 4 area scanners



# PALTZ.

## INDUSTRIAL SERIES



*i35*



# PALTZ.i35

## FOR INDUSTRIAL RELIABILITY

- 70 lbs capacity
- Up to 12 cycles/minute
- 2 palletizing zones
- 84" palletizing height
- Pallet size up to 48" x 40"
- Pallet locators with mechanical sensors
- Product presence sensor
- 2 zones infeed skewed conveyor
- Palletizing software
- 15" touch screen HMI
- Collapsible hard fencing
- Max. pick size 24" x 20" x 20"





Every PALTZ unit are powered by



- Proprietary software built on client needs
- Easy-to-use touch screen interface
- Live view of palletizing progress
- Fully customizable product configurations






## Interface Overview




### BOX

- Case dimension
- Case weight
- Label position




### PALLET

- Pallet dimensions
- Max. stacked pallet weight
- Max. stacked pallet height
- Number of layers




### LAYOUT

- Automatic pallet pattern generator
- Manual case positioning



### STACK

- Layers configuration
- Straight or alternate pattern
- Slipsheet positioning





# Additional On-Demand Options

SLIPSHEET RACK



END OF ARM TOOLS




ONLINE DEMO






# Additional On-Demand Options

DUAL PALLETIZING



VARIABLE MULTIPICK 3+





Ready to experience how PALTZ  
redefines industrial efficiency?

beRobox